

CORRES. CONTROL  
INCOMING LTR NO.

02363 RF 95

DUE  
DATE

ACTION

DIST.	LTR	ENC
BORGMAN, K.A.		
BUHL, T.R.		
BURKHART, K.M.		
CARD, R.G.	X	
EVANS, B.L.		
FENN, T.M.		
FERRERA, D.W.		
GRANT, B.A.	X	
HEALY, T.J.		
HILL, J.A.		
KELL, R.E.		
MANI, V.		
MARTINEZ, L.A.		
MCGOVERN, L.J.		
MCKIBBIN, J.G.		
OKEY, R.		
O'BRIEN, G.D.		
PANGERSIS, P.A.		
RICHEY, C.L.		
SANDLIN, N.B.		
SHUMWAY, W.K.		
TUOR, N.R.		
TURNER, K.A.		
VOORHEIS, G.M.		
WALLER, C.A.		
HEDDAHL, T.	X	
WANN, S.	X	

CORRES. CONTROL	X	X
ADMN RECORD/080		
PATS/T130G		

Reviewed for Addressee  
Corres. Control RFP

9/25/95  
DATE BY

Ref Ltr. #

DOE ORDER # 5400-1



Department of Energy

ROCKY FLATS FIELD OFFICE  
P.O. BOX 928  
GOLDEN, COLORADO 80402-0928

SEP 21 1995

25 SEP 95 11:04

RFETS-CC-1

95-DOE-14226

Mr. Thomas Looby  
Director, Office of Environment  
Colorado Department of Public Health and Environment  
4300 Cherry Creek Drive South  
Denver, Colorado 80222-153

Dear Mr. Looby:

This letter conveys the Corrective Action Decision/Record of Decision (CAD/ROD) for Operable Unit 15: Inside Building Closures for your action. This document presents the conclusions of some two years of studies and investigations of six Individual Hazardous Substance Sites (IHSSs) located inside three production buildings at the Rocky Flats Environmental Technology Site. The Selected Remedy was (1) No action for IHSSs 178, 211, and 217; and (2) deferral of any Comprehensive Environmental Response, Compensation, and Liability Act actions at IHSSs 179, 180, and 204 until final disposition of their respective buildings. Resource Conservation and Recovery Act certification of closure by an independent registered professional engineer has been submitted to your Department and approved.

The Proposed Plan was developed in consultation with the United States Environmental Protection Agency and your Department, and was presented to the public at a Public Hearing on June 21, 1995. Comments made at that meeting are addressed in the Responsiveness Summary which accompanies this document. The Public Comment period was open from May 17 to July 16 for the CAD/ROD and from August 9 to September 8 for the Interim Status Closure Plan. No comments were received other than those given verbally at the Public Hearing.

In the capacity of lead regulatory agency for Operable Unit 15, please coordinate the signing of the CAD/ROD with the Environmental Protection Agency. Three originals are enclosed, so that each agency can have an original for their records.

We sincerely appreciate the cooperation and mutual trust that the personnel of your Department displayed throughout the performance of the Operable Unit 15 program. Of particular note were Carl Spreng, Jeff Swanson and Joe Schieffelin. We know they have been supported by many others. Our thanks to them all.

Sincerely,

Mark N. Silverman  
Manager

Enclosure

ADMIN RECORD

IA-A-000777

bcc w/o Enclosure:

J. Roberson, AMEP, RFFO

D. Lindsay, OCC, RFFO

D. Sargent, SPS, RFFO

R. Lightner, HQ, EM45

F. Lockhart, DAMEP, RFFO

J. Kerridge, PDD, RFFO

M. Bell, PDD, RFFO

J. Wienand, E&M, RFFO

J. Ahlquist, HQ, EM453

C. Gesalman, HQ, EM453

W. Fitch, PDD, RFFO

T. Hedahl, KH

S. Hahn, KH